

# Childers™ VI-CRYL® CP-10

Version 1.1 Revision Date 12/12/2024

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Childers™ VI-CRYL® CP-10

Product code : 100000014969

Manufacturer or supplier's details

Company : H.B. Fuller Construction Products

Address : 1105 South Frontenac

Aurora, IL, 60504

Telephone : 1-800-552-6225

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

### Recommended use of the chemical and restrictions on use

Recommended use : Water based sealant

Restrictions on use : For industrial use only.

#### **SECTION 2. HAZARDS IDENTIFICATION**

### **Emergency Overview**

Appearance	liquid
Color	white
Odor	sweet

# **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### **Potential Health Effects**

### Carcinogenicity:

IARC Group 1: Carcinogenic to humansDuring normal handling of the

product, this substance is encapsulated within the product and

will not present a cancer exposure risk.



**NTP** 

# Childers™ VI-CRYL® CP-10

Version 1.1 Revision Date 12/12/2024

Quartz (SiO2) 14808-60-7

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Known to be human carcinogenDuring normal handling of the

product, this substance is encapsulated within the product and

will not present a cancer exposure risk. Quartz (SiO2) 14808-60-7

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
Limestone	1317-65-3	20 - 30
aluminium hydroxide	21645-51-2	10 - 20
Titanium dioxide	13463-67-7	5 - 10
Cellulose	9004-34-6	1 - 5
Quartz (SiO2)	14808-60-7	0.1 - 1

Actual concentration is withheld as a trade secret

## **SECTION 4. FIRST AID MEASURES**

General advice : Show this material safety data sheet to the doctor in

attendance.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical

attention if eye irritation develops or persists.

If swallowed : Do not induce vomiting. Seek medical attention if symptoms

develop. Provide medical care provider with this SDS.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Not combustible.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.



# Childers™ VI-CRYL® CP-10

Version 1.1 Revision Date 12/12/2024

Unsuitable extinguishing

media

: none

Specific hazards during fire

fighting

: Cool closed containers exposed to fire with water spray.

Specific extinguishing

methods

Further information

: This product is an aqueous mixture that will not burn. Dried

product film will burn in a fire.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: No special environmental precautions required.

Prevent product from entering drains.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : No special precautions are needed in handling this material.

Conditions for safe storage : Keep container closed when not in use.

Keep in a dry, cool place.

Materials to avoid : Do not freeze.

No special restrictions on storage with other products.

Storage temperature :  $>= 40 \, ^{\circ}F$ 

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Limestone	1317-65-3	TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL



# Childers™ VI-CRYL® CP-10

Version 1.1

Revision Date 12/12/2024

	•	•	1	1
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA	5 mg/m3	NIOSH REL
		(Respirable)		
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total	15 mg/m3	OSHA Z-1
		dust) `		
		TWÁ	5 mg/m3	OSHA Z-1
		(respirable		
		fraction)		
		TWA (Total)	15 mg/m3	OSHA P0
		TWA	5 mg/m3	OSHA P0
		(Respirable		
		fraction)		
		TWA (Total	15 mg/m3	OSHA P0
		dust)		
		TWÁ	5 mg/m3	OSHA P0
		(respirable		
		dust fraction)		
aluminium hydroxide	21645-51-2	TWA	1 mg/m3	ACGIH
-		(Respirable		
		particulate		
		matter)		
		TWA	1 mg/m3	ACGIH
		(Respirable		
		particulate		
		matter)		
Titanium dioxide	13463-67-7	TWA	10 mg/m3	ACGIH
		TWA (total	15 mg/m3	OSHA Z-1
		dust)		
		TWA (Total)	10 mg/m3	OSHA P0
		TWA (Total	10 mg/m3	OSHA P0
		dust)		
		TWA	0.2 mg/m3	ACGIH
		(Respirable		
		particulate		
		matter)		
		TWA	2.5 mg/m3	ACGIH
		(Respirable		
		particulate		
	0001515	matter)	10 / 5	100
Cellulose	9004-34-6	TWA	10 mg/m3	ACGIH
		TWA (total	15 mg/m3	OSHA Z-1
		dust)		0011: = :
		TWA	5 mg/m3	OSHA Z-1
		(respirable		
		fraction)	45/ 0	00114 50
		TWA (Total)	15 mg/m3	OSHA PO
		TWA	5 mg/m3	OSHA P0



# Childers™ VI-CRYL® CP-10

Version 1.1 Revision Date 12/12/2024

1	ı	1	ı	ı
		(Respirable		
		fraction)		
		TWA (Total	15 mg/m3	OSHA P0
		dust)		
		TWA	5 mg/m3	OSHA P0
		(respirable		
		dust fraction)		
		PEL (Total	10 mg/m3	CAL PEL
		dust)		
		PEL	5 mg/m3	CAL PEL
		(respirable		
		dust fraction)		
Quartz (SiO2)	14808-60-7	TWA	0.025 mg/m3	ACGIH
		(Respirable		
		particulate		
		matter)		
		TWA (total	30 mg/m3	OSHA Z-3
		dust)	/ %SiO2+2	
		TWA	10 mg/m3	OSHA Z-3
		(respirable)	/ %SiO2+2	
		TWA	250 mppcf	OSHA Z-3
		(respirable)	/ %SiO2+5	
		TWA	0.1 mg/m3	OSHA P0
		(Respirable		
		fraction)		
		TWA	0.05 mg/m3	OSHA Z-1
		(Respirable	0.00g,	30
		dust)		
		PEL	0.05 mg/m3	CAL PEL
		(Respirable	0.00g,	3, 12 1 22
		dust)		
		TWA	0.1 mg/m3	OSHA P0
		(respirable	3.1 mg/mo	3011/(10
		dust fraction)		
		uusi iraciion)		

# Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection

Material : Nitrile rubber

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Protective measures : No special protective equipment required.



# Childers™ VI-CRYL® CP-10

Version 1.1 Revision Date 12/12/2024

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid
Color : white
Odor : sweet

Odor Threshold : no data available

Melting point/freezing point : 32 °F Boiling point/boiling range : 212 °F

Flash point : Not applicable Evaporation rate : is not determined

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : Upper flammability limit

is not determined

Lower explosion limit : Lower flammability limit

is not determined

Vapor pressure : is not determined
Relative vapor density : is not determined
Density : 10.9 - 11.7 lb/gal

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

: no data available

Autoignition temperature : is not determined

VOC, less water, in g/l : 1

### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : The product is chemically stable.

Possibility of hazardous

reactions

: Hazardous polymerization does not occur.

Hazardous decomposition

products

: Stable under normal conditions.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

**Product:** 



# Childers™ VI-CRYL® CP-10

Version 1.1 Revision Date 12/12/2024

Acute inhalation toxicity : Acute toxicity estimate : > 200 mg/l

Exposure time: 4 Hours Test atmosphere: dust/mist Method: Calculation method

**Components:** 

Cellulose:

Acute inhalation toxicity : LC50 Rat: > 5.800 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

**Aspiration toxicity** 

No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

No data available

Persistence and degradability



# Childers™ VI-CRYL® CP-10

Version 1.1

Revision Date 12/12/2024

No data available **Bioaccumulative potential** 

**Mobility in soil** 

No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues

: To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** 

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

49 CFR

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards : No SARA Hazards



# Childers™ VI-CRYL® CP-10

Version 1.1 Revision Date 12/12/2024

**SARA 302** : This material does not contain any components with a section 302

EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

## **US State Regulations**

**California Prop 65** Please contact Supplier for more information.

### The ingredients of this product are reported in the following inventories:

All substances listed as active on the TSCA inventory

AllC On the inventory, or in compliance with the inventory

All components of this product are on the Canadian DSL

Please reach out to H.B. Fuller for further information regarding chemical inventories not listed above. Inventories LegendTSCA (USA), DSL (Canada), REACH(Europe), AllC (Australia),

NZIOC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China),

TWINV (Taiwan)

## **SECTION 16. OTHER INFORMATION**

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com




# Childers™ VI-CRYL® CP-10

Version 1.1

Revision Date 12/12/2024

#### **Further information**



Special hazard

# HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.