

SAFETY DATA SHEET

Childers™ CHIL-OUT™ CP-33

Version 1.2

Revision Date 08/28/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Childers™ CHIL-OUT™ CP-33
 Product code : 100000013728

Manufacturer or supplier's details

Company : H.B. Fuller Construction Products

Address : 1105 South Frontenac
 Aurora, IL, 60504

Telephone : 1-800-552-6225

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Water based sealant

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	white
Odor	ammoniacal

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Potential Health Effects

Carcinogenicity:

IARC Group 2B: Possibly carcinogenic to humans
 Paraffin waxes and Hydrocarbon waxes, chloro 63449-39-8
 Alkanes, chloro 61788-76-9

SAFETY DATA SHEET

Childers™ CHIL-OUT™ CP-33

Version 1.2

Revision Date 08/28/2024

Group 2B: Possibly carcinogenic to humans

 Paraffin waxes and 63449-39-8
 Hydrocarbon waxes, chloro

OSHA

 No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
 No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

 Reasonably anticipated to be a human carcinogen
 Paraffin waxes and 63449-39-8
 Hydrocarbon waxes, chloro

 Reasonably anticipated to be a human carcinogen

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
Limestone	1317-65-3	20 - 30
aluminium hydroxide	21645-51-2	20 - 30
Titanium dioxide	13463-67-7	1 - 5
Paraffin waxes and Hydrocarbon waxes, chloro	63449-39-8	1 - 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.

SECTION 5. FIRE-FIGHTING MEASURES

SAFETY DATA SHEET

Childers™ CHIL-OUT™ CP-33

Version 1.2

Revision Date 08/28/2024

- Suitable extinguishing media : Not combustible.
 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : none
- Specific hazards during fire fighting : Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods :
- Further information : This product is an aqueous mixture that will not burn. Dried product film will burn in a fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : No special environmental precautions required.
 Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special precautions are needed in handling this material.
- Conditions for safe storage : Keep container closed when not in use.
 Keep in a dry, cool place.
- Materials to avoid : Do not freeze.
 No special restrictions on storage with other products.
- Storage temperature : ≥ 40 °F

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

SAFETY DATA SHEET
Childers™ CHIL-OUT™ CP-33

Version 1.2

Revision Date 08/28/2024

Limestone	1317-65-3	TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (Total)	15 mg/m ³	OSHA P0
		TWA (Respirable fraction)	5 mg/m ³	OSHA P0
		TWA (Total dust)	15 mg/m ³	OSHA P0
		TWA (respirable dust fraction)	5 mg/m ³	OSHA P0
aluminium hydroxide	21645-51-2	TWA (Respirable particulate matter)	1 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	1 mg/m ³	ACGIH
Titanium dioxide	13463-67-7	TWA	10 mg/m ³	ACGIH
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (Total)	10 mg/m ³	OSHA P0
		TWA (Total dust)	10 mg/m ³	OSHA P0
		TWA (Respirable particulate matter)	0.2 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	2.5 mg/m ³	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

SAFETY DATA SHEET**Childers™ CHIL-OUT™ CP-33**

Version 1.2

Revision Date 08/28/2024

In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection
Material : Nitrile rubber
Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Protective measures : No special protective equipment required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Color : white
Odor : ammoniacal
Odor Threshold : no data available
Melting point/freezing point : 32 °F
Boiling point/boiling range : 212 °F
Flash point : Not applicable
Evaporation rate : is not determined
Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : Upper flammability limit
is not determined

Lower explosion limit : Lower flammability limit
is not determined

Vapor pressure : is not determined
Relative vapor density : is not determined
Density : 11.5 - 12.0 lb/gal
Solubility(ies)
Water solubility : dispersible
Partition coefficient: n-
octanol/water : no data available
Autoignition temperature : is not determined
VOC, less water, in g/l : 49

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.

SAFETY DATA SHEET**Childers™ CHIL-OUT™ CP-33**

Version 1.2

Revision Date 08/28/2024

Possibility of hazardous reactions : Hazardous polymerization does not occur.
Hazardous decomposition products : Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

SAFETY DATA SHEET**Childers™ CHIL-OUT™ CP-33**

Version 1.2

Revision Date 08/28/2024

Components:**Paraffin waxes and Hydrocarbon waxes, chloro :**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0109 mg/l
Exposure time: 96 h
Test Method: flow-through test

Persistence and degradability

No data available

Bioaccumulative potential**Components:****Paraffin waxes and Hydrocarbon waxes, chloro :**

Partition coefficient: n- : log Pow: 7.46 - 11.48 (20 °C)
octanol/water pH: 7
GLP: no

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.
The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

SAFETY DATA SHEET

Childers™ CHIL-OUT™ CP-33

Version 1.2

Revision Date 08/28/2024

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

lead	7439-92-1
------	-----------

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

US State Regulations

California Prop 65 Please contact Supplier for more information.

The ingredients of this product are reported in the following inventories:

TCSI	Not in compliance with the inventory
TSCA	All substances listed as active on the TSCA inventory
AIIC	Not in compliance with the inventory
DSL	All components of this product are on the Canadian DSL
ENCS	Not in compliance with the inventory
ISHL	Not in compliance with the inventory
KECI	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
CHINV	The mixture contains substances listed on the Swiss Inventory
REACH	Not in compliance with the inventory
	Not in compliance with the inventory
	Not in compliance with the inventory
TECI	Not in compliance with the inventory

SAFETY DATA SHEET

Childers™ CHIL-OUT™ CP-33

Version 1.2

Revision Date 08/28/2024


Inventories Legend TSCA (USA), DSL (Canada), REACH(Europe), AIC (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Further information

NFPA:



HMIS III:

HEALTH	0/
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
 2 = Moderate, 3 = High
 4 = Extreme, * = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.