

## SAFETY DATA SHEET

### Childers™ CHIL-JOINT® CP-70

Version 1.0

Revision Date 12/22/2020

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Childers™ CHIL-JOINT® CP-70  
 Product code : 100000015210

##### Manufacturer or supplier's details

Company : H.B. Fuller Construction Products  
 Address : 1105 South Frontenac  
 Aurora, IL, 60504  
 Telephone : 1-800-552-6225

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

##### Recommended use of the chemical and restrictions on use

Recommended use : Solvent based sealant  
 Restrictions on use : For industrial use only.

#### SECTION 2. HAZARDS IDENTIFICATION



##### Emergency Overview

Appearance	liquid
Color	gray
Odor	solvent

##### GHS Classification

Skin sensitization : Category 1  
 Germ cell mutagenicity : Category 1B

##### GHS label elements

Hazard pictograms :  

Signal Word : Danger

##### Hazard Statements:

H317 May cause an allergic skin reaction. H340 May cause genetic defects.

##### Precautionary Statements:

**Prevention:** P201 Obtain special instructions before use. P202 Do not handle until all safety

## SAFETY DATA SHEET

### Childers™ CHIL-JOINT® CP-70

Version 1.0

Revision Date 12/22/2020

precautions have been read and understood. P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse.

**Storage:** P405 Store locked up.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

#### Potential Health Effects

##### Carcinogenicity:

###### IARC

Group 1: Carcinogenic to humans During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk.

 Quartz (SiO<sub>2</sub>)

14808-60-7

###### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

###### NTP

Known to be human carcinogen During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk.

 Quartz (SiO<sub>2</sub>)

14808-60-7

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
calcium carbonate	471-34-1	50 - 70
Stoddard solvent	8052-41-3	1 - 5
Quartz (SiO <sub>2</sub> )	14808-60-7	0.1 - 1
Solvent naphtha (petroleum), light arom.	64742-95-6	0.1 - 1
cobalt bis(2-ethylhexanoate)	136-52-7	0.1 - 1
butanone oxime	96-29-7	0.1 - 1
Distillates (petroleum), hydrotreated light	64742-47-8	0.1 - 1

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : Show this material safety data sheet to the doctor in attendance.

**SAFETY DATA SHEET****Childers™ CHIL-JOINT® CP-70**

Version 1.0

Revision Date 12/22/2020

- 
- |                         |   |
|-------------------------|---|
| If inhaled              | : Move to fresh air.<br>If symptoms persist, call a physician.  |
| In case of skin contact | : Wash off with soap and water.<br>Get medical attention if irritation develops and persists.   |
| In case of eye contact  | : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.  |
| If swallowed            | : Do NOT induce vomiting.<br>If victim is fully conscious, give a cupful of water.<br>Never give anything by mouth to an unconscious person.<br>Obtain medical attention. |
- 

**SECTION 5. FIRE-FIGHTING MEASURES**

- |  |  |
|--|--|
| Suitable extinguishing media                   | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.                             |
| Specific hazards during fire fighting          | : Cool closed containers exposed to fire with water spray.   |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment. |
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- |   |  |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Remove all sources of ignition.<br>Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.<br>Refer to protective measures listed in sections 7 and 8. |
| Environmental precautions   | : Prevent spreading over a wide area (e.g., by containment or oil barriers).   |
| Methods and materials for containment and cleaning up               | : Soak up with inert absorbent material.<br>Sweep up and shovel into suitable containers for disposal.<br>Non-sparking tools should be used.   |
- 

**SECTION 7. HANDLING AND STORAGE**

- |                         |                                       |
|-------------------------|---------------------------------------|
| Local/Total ventilation | : Use only with adequate ventilation. |
| Advice on safe handling | : Avoid inhalation of vapor or mist.  |
-

**SAFETY DATA SHEET**
**Childers™ CHIL-JOINT® CP-70**

Version 1.0

Revision Date 12/22/2020

Do not use in areas without adequate ventilation.  
 Keep away from fire, sparks and heated surfaces.  
 Keep container closed when not in use.  
 Take precautionary measures against static discharges.

Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.  
 Use explosion-proof equipment.  
 Keep containers tightly closed in a dry, cool and well-ventilated place.  
 Keep away from sources of ignition - No smoking.  
 Solvent vapors are heavier than air and may spread along floors.

Materials to avoid : Strong oxidizing agents

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium carbonate	471-34-1	PEL (Total dust)	10 mg/m <sup>3</sup>	CAL PEL
		PEL (respirable dust fraction)	5 mg/m <sup>3</sup>	CAL PEL
Stoddard solvent	8052-41-3	TWA	100 ppm	ACGIH
		TWA	350 mg/m <sup>3</sup>	NIOSH REL
		C	1,800 mg/m <sup>3</sup>	NIOSH REL
		TWA	500 ppm 2,900 mg/m <sup>3</sup>	OSHA Z-1
		TWA	100 ppm 525 mg/m <sup>3</sup>	OSHA P0
Quartz (SiO <sub>2</sub> )	14808-60-7	TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup>	ACGIH
		TWA (total dust)	30 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2	OSHA Z-3
		TWA (respirable)	10 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO <sub>2</sub> +5	OSHA Z-3
		TWA (Respirable fraction)	0.1 mg/m <sup>3</sup>	OSHA P0

**SAFETY DATA SHEET**
**Childers™ CHIL-JOINT® CP-70**

Version 1.0

Revision Date 12/22/2020

		TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	OSHA Z-1
		PEL (Respirable dust)	0.05 mg/m <sup>3</sup>	CAL PEL
		TWA (respirable dust fraction)	0.1 mg/m <sup>3</sup>	OSHA P0
Solvent naphtha (petroleum), light arom.	64742-95-6	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	200 mg/m <sup>3</sup>	ACGIH
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	200 mg/m <sup>3</sup>	ACGIH
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0

**Engineering measures** : Use local exhaust ventilation or other engineering controls to minimize exposures.

**Personal protective equipment**

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapor Type

Hand protection  
Material : Nitrile rubber

Eye protection : Safety glasses with side-shields

Hygiene measures : Avoid contact with skin, eyes and clothing.  
Provide adequate ventilation.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid  
 Color : gray  
 Odor : solvent  
 Odor Threshold : No data available  
 Melting point/freezing point : is not determined

**SAFETY DATA SHEET****Childers™ CHIL-JOINT® CP-70**

Version 1.0

Revision Date 12/22/2020

---

Boiling point/boiling range	: is not determined
Evaporation rate	: is not determined
Upper explosion limit	: Upper flammability limit is not determined
Lower explosion limit	: Lower flammability limit is not determined
Density	: 13.2 - 14.2 lb/gal
Solubility(ies)	
Water solubility	: is not determined
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: is not determined
Viscosity	
Viscosity, kinematic	: is not determined

---

**SECTION 10. STABILITY AND REACTIVITY**

Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: Hazardous polymerization does not occur.
Conditions to avoid	: Heat, flames and sparks.
Hazardous decomposition products	: Stable under normal conditions.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
---------------------------	--

**Components:****Solvent naphtha (petroleum), light arom.:**

Acute inhalation toxicity	: LC50 Rat: > 5.2 mg/l Exposure time: 4 h
Acute dermal toxicity	: LD50 Dermal Rabbit: > 2,000 mg/kg

---

**SAFETY DATA SHEET****Childers™ CHIL-JOINT® CP-70**

Version 1.0

Revision Date 12/22/2020

**butanone oxime:**

Acute oral toxicity : LD50 Oral Rat: 930 mg/kg

**Distillates (petroleum), hydrotreated light:**Acute inhalation toxicity : LC50 Rat: > 5.2 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor**Skin corrosion/irritation**

No data available

**Serious eye damage/eye irritation**

No data available

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**STOT-single exposure**

No data available

**STOT-repeated exposure**

No data available

**Aspiration toxicity**

No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Solvent naphtha (petroleum), light arom. :**Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 9.22 mg/l  
Exposure time: 96 h  
Test Method: static test

**SAFETY DATA SHEET****Childers™ CHIL-JOINT® CP-70**

Version 1.0

Revision Date 12/22/2020

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.14 mg/l  
Exposure time: 48 h  
Test Method: static test

**butanone oxime :**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 320 - 1,000 mg/l  
Exposure time: 96 h  
Test Method: static test

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 83 mg/l  
Exposure time: 72 h  
Test Type: flow-through test

**Distillates (petroleum), hydrotreated light :**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 2.2 mg/l  
Exposure time: 96 h  
Test Method: static test

**Persistence and degradability**

No data available

**Bioaccumulative potential****Mobility in soil**

No data available

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : This product meets the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. It is ignitable waste class D001. Disposal via incineration is recommended. Consult your state, local, or provincial authorities for more restrictive requirements.  
The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

**SECTION 14. TRANSPORT INFORMATION****Special precautions for user**

Not applicable



**SAFETY DATA SHEET****Childers™ CHIL-JOINT® CP-70**

Version 1.0

Revision Date 12/22/2020

**Domestic regulation****49 CFR**

Not regulated as a dangerous good

**International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**SECTION 15. REGULATORY INFORMATION**

**SARA 311/312 Hazards** : Respiratory or skin sensitization  
Germ cell mutagenicity

**SARA 302** : This material does not contain any components with a section 302  
EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known  
CAS numbers that exceed the threshold (De Minimis) reporting levels  
established by SARA Title III, Section 313.

**Clean Air Act**

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR  
61):

cobalt bis(2-ethylhexanoate) 136-52-7

**US State Regulations**

**California Prop 65** Please contact Supplier for more information.

**The ingredients of this product are reported in the following inventories:****TSCA**

All substances listed as active on the TSCA inventory

**DSL**

All components of this product are on the Canadian DSL

**AICS**

On the inventory, or in compliance with the inventory

## SAFETY DATA SHEET

### Childers™ CHIL-JOINT® CP-70

Version 1.0

Revision Date 12/22/2020


**ENCS** On the inventory, or in compliance with the inventory  
**KECI** On the inventory, or in compliance with the inventory  
**PICCS** On the inventory, or in compliance with the inventory  
**IECSC** On the inventory, or in compliance with the inventory  
**Inventories Legend** TSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

#### SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

#### Further information

##### NFPA:



##### HMIS III:

<b>HEALTH</b>	<b>2*</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.