

	Foster® 30-16
rsion 1.0	Revision Date 12/22/2020
CTION 1 PRODUCT AND	COMPANY IDENTIFICATION
Product name	: Foster® 30-16
Product code	: 100000014990
Manufacturer or suppli	er's details
Company	: H.B. Fuller Construction Products
Address	: 1105 South Frontenac
Telephone	Aurora, IL, 60504 : 1-800-552-6225
Medical Emergency Pho	ne Number (24 Hours): 1-888-853-1758
Transport Emergency Pl	none Number (CHEMTREC): 1-800-424-9300
Recommended use of	the chemical and restrictions on use
Recommended use	: Water based sealant
Restrictions on use	: For industrial use only.

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	liquid
Color	off-white
Odor	sweet

# **GHS Classification**

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

# **Potential Health Effects**

Carcinogenicity:

IARC

Group 1: Carcinogenic to humansDuring normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk.

Quartz (SiO2)

14808-60-7



	Foster® 30-1	6
Version 1.0	Revision Date 12/	22/2020
	1 *	nogenic to humansDuring normal handling stance is encapsulated within the product ancer exposure risk. 13463-67-7
OSHA NTP	equal to 0.1% is on OS Known to be human carc	product present at levels greater than or HA's list of regulated carcinogens. inogenDuring normal handling of the is encapsulated within the product and er exposure risk.
	Quartz (SiO2)	14808-60-7

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
calcium carbonate	471-34-1	50 - 70
titanium dioxide	13463-67-7	1 - 5
Quartz (SiO2)	14808-60-7	0.1 - 1
Quartz (SiO2)	14808-60-7	0.1 - 1

Actual concentration is withheld as a trade secret

## **SECTION 4. FIRST AID MEASURES**

General advice	: Show this material safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash off with soap and water.
In case of eye contact	: Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
If swallowed	: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not combustible.
		Use extinguishing measures that are appropriate to local



Foster® 30-16		
Version 1.0	Revision Date 12/22/2020	
	circumstances and the surrounding environment.	
Unsuitable extinguishing media	: none	
Specific hazards during fire fighting	: Cool closed containers exposed to fire with water spray.	
Specific extinguishing methods Further information	: This product is an aqueous mixture that will not burn. Dried product film will burn in a fire.	

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.	
Environmental precautions	: No special environmental precautions required. Prevent product from entering drains.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica ga acid binder, universal binder, sawdust).	el,

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: No special precautions are needed in handling this material.
Conditions for safe storage	: Keep container closed when not in use. Keep in a dry, cool place.
Materials to avoid	: Do not freeze. No special restrictions on storage with other products.
Storage temperature	: >= 40 °F

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium carbonate	471-34-1	PEL (Total dust)	10 mg/m3	CAL PEL



# Foster® 30-16

Version 1.0

Revision Date 12/22/2020

		PEL (respirable dust fraction)	5 mg/m3	CAL PEL
titanium dioxide	13463-67-7	TWA	10 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total)	10 mg/m3	OSHA P0
		TWA (Total dust)	10 mg/m3	OSHA P0
Quartz (SiO2)	14808-60-7	TWA (Respirable particulate matter)	0.025 mg/m3	ACGIH
		TWA (total dust)	30 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (Respirable fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
		PEL (Respirable dust)	0.05 mg/m3	CAL PEL
		TWÁ (respirable dust fraction)	0.1 mg/m3	OSHA P0

# Personal protective equipment

Respiratory protection	<ul> <li>No personal respiratory protective equipment normally required.</li> <li>In case of insufficient ventilation, wear suitable respiratory equipment.</li> </ul>
Hand protection Material Remarks	<ul><li>Nitrile rubber</li><li>For prolonged or repeated contact use protective gloves.</li></ul>
Eye protection	: Safety glasses
Protective measures	: No special protective equipment required.



# Foster® 30-16

Version 1.0

Revision Date 12/22/2020

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold	: liquid : off-white : sweet : No data available
Melting point/freezing point	: 32 °F
Boiling point/boiling range	: 212 °F
Evaporation rate Flammability (solid, gas)	<ul><li>is not determined</li><li>Not classified as a flammability hazard</li></ul>
Upper explosion limit	: Upper flammability limit is not determined
Lower explosion limit	: Lower flammability limit is not determined
Relative vapor density	: is not determined
Density Solubility(ies)	: 13.4 - 14.0 lb/gal
Water solubility	: dispersible
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: is not determined
VOC, less water, in g/l	: 15

### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.	
Possibility of hazardous reactions	: Hazardous polymerization does not occur.	
Hazardous decomposition products	: Stable under normal conditions.	

#### SECTION 11. TOXICOLOGICAL INFORMATION

# Acute toxicity

No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation



# Foster® 30-16

Version 1.0

Revision Date 12/22/2020

No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### STOT-single exposure

No data available

#### **STOT-repeated exposure**

No data available

#### Aspiration toxicity

No data available

# SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

## Persistence and degradability

No data available Bioaccumulative potential

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues

: To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an



Version 1.0

Revision Date 12/22/2020

approved landfill. Consult state, local or provincial authorities for more restrictive requirements. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

### **SECTION 14. TRANSPORT INFORMATION**

## Special precautions for user

Not applicable

#### **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

#### **International Regulations**

**UNRTDG** Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

**IMDG-Code** Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards	: No SARA Hazards
SARA 302	: This material does not contain any components with a section 302 EHS TPQ.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act




Foster® 30-16		
Version 1.0		Revision Date 12/22/2020
The foll 61):	owing chemical(s) are ethylene glycol	listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 107-21-1
US Stat	te Regulations	
Califor	nia Prop 65	Please contact Supplier for more information.
The ingredients of this product are reported in the following inventories:TSCAAll substances listed as active on the TSCA inventoryDSLAll components of this product are on the Canadian DSLInventories LegendTSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIOC(New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV(Taiwan)		

### **SECTION 16. OTHER INFORMATION**

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

#### Further information



The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.



Version 1.0

# Foster® 30-16

Revision Date 12/22/2020