

Foster® FULL DEFENSE® 40-25

| Version 1.2 | Revision Date 08/23/2022 | | |
|---|--------------------------|--|--|
| | | | |
| SECTION 1. PRODUCT AND CO | MP/ | ANY IDENTIFICATION | |
| Product name Product code | : | Foster® FULL DEFENSE® 40-25 10000006628 | |
| Manufacturer or supplier's | deta | ails | |
| Company | : | H.B. Fuller Construction Products | |
| Address | : | 1105 South Frontenac Aurora, IL, 60504 | |
| Telephone | : | 1-800-552-6225 | |
| Medical Emergency Phone Number (24 Hours): 1-888-853-1758 | | | |
| Transport Emergency Phone | Nur | nber (CHEMTREC): 1-800-424-9300 | |
| Recommended use of the c | hen | nical and restrictions on use | |
| Recommended use | : | Water based sealant | |
| Restrictions on use | : | For industrial use only. | |

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | liquid |
|------------|--------|
| Color | white |
| Odor | sweet |

| GHS Classification | |
|--------------------|--------------|
| Skin sensitization | : Category 1 |
| GHS label elements | |
| Hazard pictograms | : |
| | |
| Signal Word | : Warning |

Hazard Statements:

H317 May cause an allergic skin reaction.

Precautionary Statements:

Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves.



Foster® FULL DEFENSE® 40-25

Version 1.2

Revision Date 08/23/2022

Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

| IARC | Group 2B: Possibly carcinogenic to humansDuring normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk. | |
|------|--|---|
| | titanium dioxide | 13463-67-7 |
| OSHA | No component of this product equal to 0.1% is on OSHA's lis | present at levels greater than or st of regulated carcinogens. |
| NTP | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

| Chemical name | CAS-No. | Concentration [%] |
|--|------------|-------------------|
| titanium dioxide | 13463-67-7 | 10 - 20 |
| barium diboron tetraoxide | 13701-59-2 | 5 - 10 |
| aluminium hydroxide | 21645-51-2 | 1 - 5 |
| Zinc oxide | 1314-13-2 | 1 - 5 |
| triphenyl phosphate | 115-86-6 | 1 - 5 |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | 0.1 - 1 |
| Actual concentration is withheld as a trade secret | | |

i concentration is withneid as a trade secr

SECTION 4. FIRST AID MEASURES

| General advice | : Show this material safety data sheet to the doctor in attendance. |
|-------------------------|--|
| If inhaled | : Move to fresh air. If symptoms persist, call a physician. |
| In case of skin contact | : Wash off with soap and water. |
| In case of eye contact | : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists. |
| If swallowed | : Do not induce vomiting. Seek medical attention if symptoms |
| | 0/40 |



Foster® FULL DEFENSE® 40-25

Version 1.2

Revision Date 08/23/2022

develop. Provide medical care provider with this SDS.

SECTION 5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media | : Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
|---------------------------------------|--|
| Unsuitable extinguishing media | : none |
| Specific hazards during fire fighting | : Cool closed containers exposed to fire with water spray. |
| Specific extinguishing methods | : |
| Further information | : This product is an aqueous mixture that will not burn. Dried product film will burn in a fire. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : Refer to protective measures listed in sections 7 and 8. |
|---|--|
| Environmental precautions | : No special environmental precautions required. Prevent product from entering drains. |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). |

SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | : No special precautions are needed in handling this material. |
|-----------------------------|---|
| Conditions for safe storage | : Keep container closed when not in use. Keep in a dry, cool place. |
| Materials to avoid | : Do not freeze. No special restrictions on storage with other products. |
| Storage temperature | : >= 40 °F |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Foster® FULL DEFENSE® 40-25

Version 1.2

Revision Date 08/23/2022

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------------------------|------------|---|---|-----------|
| titanium dioxide | 13463-67-7 | TWA | 10 mg/m3 | ACGIH |
| | | TWA (total | 15 mg/m3 | OSHA Z-1 |
| | | dust) | | |
| | | TWA (Total) | 10 mg/m3 | OSHA P0 |
| | | TWA (Total | 10 mg/m3 | OSHA P0 |
| barium diboron tetraoxide | 13701-59-2 | dust) TWA | 0.5 mg/m3 | OSHA Z-1 |
| | 10/01/00/2 | TWA | 0.5 mg/m3 | ACGIH |
| | | TWA | 0.5 mg/m3 | OSHA P0 |
| | | TWA | 0.5 mg/m3 | OSHA Z-1 |
| | | TWA | 0.5 mg/m3 | ACGIH |
| | | TWA | 0.5 mg/m3 | OSHA P0 |
| | | TWA | 0.5 mg/m3 | NIOSH REL |
| aluminium hydroxide | 21645-51-2 | TWA | 1 mg/m3 | ACGIH |
| | | (Respirable particulate matter) | | |
| | | TWA (Respirable particulate matter) | 1 mg/m3 | ACGIH |
| Zinc oxide | 1314-13-2 | TWA (Respirable particulate matter) | 2 mg/m3 | ACGIH |
| | | STEL (Respirable particulate matter) | 10 mg/m3 | ACGIH |
| | | TWA (Fumes) | 5 mg/m3 | OSHA Z-1 |
| | | TWA (total dust) | 15 mg/m3 | OSHA Z-1 |
| | | TWÁ (respirable fraction) | 5 mg/m3 | OSHA Z-1 |
| | | TWA (Total) | 10 mg/m3 | OSHA P0 |
| | | TWA (Respirable fraction) | 5 mg/m3 | OSHA P0 |
| | | TWA | 5 mg/m3 | OSHA P0 |
| | | STEL | 10 mg/m3 | OSHA P0 |
| | | TWA (Total dust) | 10 mg/m3 | OSHA P0 |



Foster® FULL DEFENSE® 40-25

Version 1.2

Revision Date 08/23/2022

| | | TWA (respirable dust fraction) | 5 mg/m3 | OSHA P0 |
|---------------------|----------|--------------------------------------|----------|----------|
| | | TWA (Fumes) | 5 mg/m3 | OSHA P0 |
| | | STEL (Fumes) | 10 mg/m3 | OSHA P0 |
| triphenyl phosphate | 115-86-6 | TWA | 3 mg/m3 | ACGIH |
| | | TWA | 3 mg/m3 | OSHA Z-1 |
| | | TWA | 3 mg/m3 | OSHA P0 |
| | | PEL | 3 mg/m3 | CAL PEL |

Personal protective equipment

| Respiratory protection | No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment. |
|--|---|
| Hand protection Material Remarks | Nitrile rubberFor prolonged or repeated contact use protective gloves. |
| Eye protection | : Safety glasses |
| Protective measures | : No special protective equipment required. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance Color Odor Odor Threshold | : liquid : white : sweet : no data available |
|--|--|
| рН | : 8.9 - 9.9 |
| Melting point/freezing point | : 32 °F |
| Boiling point/boiling range | : 212 °F |
| Flash point Evaporation rate Flammability (solid, gas) | Not applicable is not determined Not classified as a flammability hazard |
| Upper explosion limit | : Upper flammability limit is not determined |
| Lower explosion limit | : Lower flammability limit is not determined |



Foster® FULL DEFENSE® 40-25

| ersion 1.2 | Revision Date 08/23/2022 |
|--|---|
| Vapor pressure | : is not determined |
| Relative vapor density | : is not determined |
| Density Solubility(ies) Water solubility | : 11.06 - 11.66 lb/gal : dispersible |
| Partition coefficient: n- octanol/water | : no data available |
| Autoignition temperature | : is not determined |
| VOC, less water, in g/l | : 40 |

SECTION 10. STABILITY AND REACTIVITY

| Chemical stability | : The product is chemically stable. |
|------------------------------------|--|
| Possibility of hazardous reactions | : Hazardous polymerization does not occur. |
| Hazardous decomposition products | : Stable under normal conditions. |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

| Product: | | |
|---|---|---|
| Acute oral toxicity | : | Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |
| Acute inhalation toxicity | : | Acute toxicity estimate : 172.11 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method |
| Components: | | |
| triphenyl phosphate: Acute oral toxicity | : | LD50 Oral Rat: 3,500 mg/kg |
| Skin corrosion/irritation | | |
| No data available | | |
| Serious eye damage/eye irritation | | |
| No data available | | |
| Respiratory or skin sensitization | | |



Foster® FULL DEFENSE® 40-25

Version 1.2

Revision Date 08/23/2022

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

| <u>Components:</u> triphenyl phosphate : | |
|---|--|
| Toxicity to fish | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.28 - 0.5 mg/l Exposure time: 96 h Test Method: static test |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 0.86 - 1.2 mg/l Exposure time: 48 h Test Method: static test |
| Toxicity to algae | : EC50 (Pseudokirchneriella subcapitata (microalgae)): 0.6 - 4 mg/l Exposure time: 96 h Test Type: static test |

Persistence and degradability

No data available Bioaccumulative potential

Mobility in soil

No data available



Foster® FULL DEFENSE® 40-25

Version 1.2

Revision Date 08/23/2022

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

| Waste from residues | To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements. The hazard and precautionary statements displayed on the |
|---------------------|---|
| | label also apply to any residues left in the container. |

SECTION 14. TRANSPORT INFORMATION

International Regulations

| JN/ID No. : UN 3082 | |
|---|--|
| Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide) | |
| Class : 9 | |
| Packing group : III | |
| abels : Miscellaneous | |
| Packing instruction (cargo : 964 aircraft) | |
| Packing instruction : 964 passenger aircraft) | |
| Remarks : PACKAGES <5 L NOT REGULATED, IATA 4.4, SP A197 | |
| MDG-Code | |
| JN number : UN 3082 | |
| Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide) | |
| Class : 9 | |
| Packing group : III | |
| abels : 9 | |
| EmS Code : F-A, S-F | |
| Narine pollutant : yes | |
| Remarks : PACKAGES <5 L NOT REGULATED, IMDG 3.3 SP 969 | |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | |

Not applicable for product as supplied.

Domestic regulation

49 CFR



Foster® FULL DEFENSE® 40-25

Version 1.2

Revision Date 08/23/2022

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

| SARA 311/312 Hazards | : Respiratory or skin sensitization | |
|----------------------|--|---------------------------------|
| SARA 302 | : This material does not contain any com EHS TPQ. | ponents with a section 302 |
| SARA 313 | : The following components are subject by SARA Title III, Section 313: | to reporting levels established |
| | barium diboron tetraoxide | 13701-59-2 |
| | Zinc oxide | 1314-13-2 |
| | 150 | Not Assigned |

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

| US State Regulations | |
|---------------------------------------|---|
| California Prop 65 | Please contact Supplier for more information. |
| The ingredients of this produ TSCA | ct are reported in the following inventories: All substances listed as active on the TSCA inventory |
| DSL | All components of this product are on the Canadian DSL |
| AIIC | On the inventory, or in compliance with the inventory |
| ENCS | On the inventory, or in compliance with the inventory |
| KECI | On the inventory, or in compliance with the inventory |
| • | On the inventory, or in compliance with the inventory A), DSL (Canada), REACH(Europe), AIIC (Australia), NZIoC (New (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan) |




Foster® FULL DEFENSE® 40-25

Version 1.2

Revision Date 08/23/2022

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com



The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.