

	Foster® 82-77 Part B		
Version 1.2	Revision Date 11/18/2024		
SECTION 1. PRODUCT AND C	OMPANY IDENTIFICATION		
Product name	: Foster® 82-77 Part B		
Product code	: 10000015352		
Manufacturer or supplier's	details		
Company	: H.B. Fuller Construction Products		
Address	: 1105 South Frontenac Aurora, IL, 60504		
Telephone	: 1-800-552-6225		
Medical Emergency Phone Number (24 Hours): 1-888-853-1758			
Transport Emergency Phon	e Number (CHEMTREC): 1-800-424-9300		
Recommended use of the	chemical and restrictions on use		
Recommended use	: Epoxy curing agent		
Restrictions on use	: For industrial use only.		

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	amber
Odor	amine-like

GHS Classification

Skin corrosion Serious eye damage Skin sensitization Reproductive toxicity Specific target organ toxicity - single exposure	 Category 1B Category 1 Category 1 Category 1B Category 1 (Lungs)
GHS label elements	
Hazard pictograms	
Signal Word	: Danger



Foster® 82-77 Part B

Version 1.2

Revision Date 11/18/2024

Hazard Statements:

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H360F May damage fertility. H370 Causes damage to organs (Lungs).

Precautionary Statements:

Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. **Storage:** P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC
 No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
 OSHA
 No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
 NTP
 No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
Fatty acids, tall-oil, reaction products with tetraethylenepentamine	68953-36-6	50 - 70
2,2'-iminodi(ethylamine)	111-40-0	10 - 20
3,6,9-triazaundecamethylenediamine	112-57-2	10 - 20
4,4'-isopropylidenediphenol	80-05-7	5 - 10
triethylenetetramine	112-24-3	0.1 - 1

Actual concentration is withheld as a trade secret



Foster® 82-77 Part B		
rsion 1.2	Revision Date 11/18/2024	
CTION 4. FIRST AID MEAS	URES	
General advice	: Show this material safety data sheet to the doctor in attendance.	
If inhaled	 Move to fresh air. If not breathing, give artificial respiration. Keep patient warm and at rest. Consult a physician after significant exposure. 	
In case of skin contact	 Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Call a physician if irritation develops or persists. Wash contaminated clothing before re-use. 	
In case of eye contact	: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention. Protect unharmed eye.	
If swallowed	 If swallowed, call a poison control center or doctor immediately. Do NOT induce vomiting. If victim is fully conscious, give a cupful of water. If possible drink milk afterwards. 	
Notes to physician	: No further relevant information available.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific extinguishing methods Further information	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for fire-fighters	: Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Prevent product from entering drains.



Foster® 82-77 Part B			
Version 1.2	Revision Date 11/18/2024		
	Do not flush into surface water or sanitary sewer system.		
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. Shovel into suitable container for disposal.		
SECTION 7. HANDLING AND STORAGE			
Local/Total ventilation	: Use only with adequate ventilation.		
Advice on safe handling	 Wear personal protective equipment. Do not get on skin or clothing. Use only in an area equipped with a safety shower. 		
Conditions for safe storage	: Keep containers tightly closed in a dry, cool and well- ventilated place.		
Materials to avoid	: No special restrictions on storage with other products.		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2,2'-iminodi(ethylamine)	111-40-0	TWA	1 ppm	ACGIH
		TWA	1 ppm 4 mg/m3	OSHA P0
		PEL	1 ppm 4 mg/m3	CAL PEL

Engineering measures	: Please take note of national and local requirements.
Personal protective equipm	ent

Respiratory protection	:	Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Combined particulates and organic vapor type
Hand protection Material	:	butyl-rubber



	Foster® 82-77 Part B
Version 1.2	Revision Date 11/18/2024
Eye protection	: Safety goggles Face-shield Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	: Long sleeved clothing Chemical resistant apron
Protective measures	: Avoid contact with skin.
Hygiene measures	: Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold	: liquid : amber : amine-like : no data available
рН	: Not applicable
Melting point/freezing point	: is not determined
Boiling point/boiling range	: is not determined
Flash point Evaporation rate Flammability (solid, gas)	 Not applicable is not determined Not classified as a flammability hazard
Upper explosion limit	: Upper flammability limit is not determined
Lower explosion limit	: Lower flammability limit is not determined
Vapor pressure	: is not determined
Density Solubility(ies)	: 6.1 - 10.1 lb/gal
Water solubility	: is not determined
Partition coefficient: n- octanol/water	: no data available
Autoignition temperature	: is not determined
Thermal decomposition	: Not applicable
Viscosity Viscosity, kinematic Explosive properties	is not determinedNot explosive



Foster® 82-77 Part B

Version 1.2

Revision Date 11/18/2024

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No further relevant information available.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: Strong exothermic reaction with acids.
Conditions to avoid	: No further relevant information available.
Incompatible materials	: No further relevant information available.
Hazardous decomposition products	: Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:				
Acute oral toxicity	:	Acute toxicity estimate : 3,287 mg/kg Method: Calculation method		
Acute dermal toxicity	:	Acute toxicity estimate : 3,365 mg/kg Method: Calculation method		
Components:				
2,2'-iminodi(ethylamine): Acute oral toxicity	:	LD50 Oral Rat: 819 mg/kg		
3,6,9-triazaundecamethylenediamine:				
Acute oral toxicity	:	LD50 Oral Rat: 2,100 mg/kg		
Acute dermal toxicity	:	LD50 Dermal Rabbit: 660 mg/kg		
4,4'-isopropylidenediphenol:	:			
Acute oral toxicity		LD50 Oral Rat: 3,200 mg/kg		
Acute dermal toxicity	:	LD50 Dermal Rabbit: 3,000 mg/kg		
triethylenetetramine: Acute oral toxicity	:	LD50 Oral Rat: 2,500 mg/kg		
in correction/irritation				

Skin corrosion/irritation



Foster® 82-77 Part B

Version 1.2

Revision Date 11/18/2024

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2,2'-iminodi(ethylamine) :

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 16 mg/l
aquatic invertebrates		Exposure time: 48 h
		Test Method: static test

3,6,9-triazaundecamethylenediamine :

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 24.1 mg/l Exposure time: 48 h Test Method: static test
Toxicity to algae	:	EC50 (Pseudokirchneriella subcapitata (microalgae)): 2.1 mg/l Exposure time: 72 h Test Type: flow-through test

4,4'-isopropylidenediphenol :



	Foster® 82-77 Part B
Version 1.2	Revision Date 11/18/2024
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 3.6 - 5.4 mg/l Exposure time: 96 h Test Method: flow-through test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3.9 mg/l Exposure time: 48 h Test Method: static test
Toxicity to algae	 EC50 (Pseudokirchneriella subcapitata (microalgae)): 2.5 mg/l Exposure time: 96 h Test Type: flow-through test
triethylenetetramine :	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 31.1 mg/l Exposure time: 48 h Test Method: static test
Toxicity to algae	 EC50 (Desmodesmus subspicatus (green algae)): 2.5 mg/l Exposure time: 72 h Test Type: flow-through test
Persistence and degradability	

No data available Bioaccumulative potential

Components:3,6,9-triazaundecamethylenediamine :Partition coefficient: n-:log Pow: 1.503octanol/water4,4'-isopropylidenediphenol :Partition coefficient: n-:log Pow: 3.32octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues :	To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.
-----------------------	--



	Foster® 82-77 Part B
ersion 1.2	Revision Date 11/18/2024
Contaminated packaging	: Disposal must be made according to official regulations.
CTION 14. TRANSPORT INF	ORMATION
International Regulations	
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft) IMDG-Code UN number Proper shipping name Class	 UN 1760 Corrosive liquid, n.o.s. (DIETHYLENETRIAMINE, aliphatic amine) 8 II Corrosive 855 855 851 UN 1760 CORROSIVE LIQUID, N.O.S. (DIETHYLENETRIAMINE, aliphatic amine) 8
Packing group Labels EmS Code Marine pollutant	: 8 : II : 8 : F-A, S-B : yes
•	g to Annex II of MARPOL 73/78 and the IBC Code
Not applicable for product as	supplieu.
Domestic regulation	
49 CFR UN/ID/NA number Proper shipping name	 : UN 1760 : Corrosive liquids, n.o.s. (DIETHYLENETRIAMINE, aliphatic amine)
Class Packing group Labels	: 8 : II : CORROSIVE

Special precautions for user

:

: no

154

ERG Code

Marine pollutant

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Foster®	82-77	Part B	
---------	-------	--------	--

Revision Date 11/18/2024

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards :	Respiratory or skin sensitization Reproductive toxicity Specific target organ toxicity (single or repeated Skin corrosion or irritation Serious eye damage or eye irritation	exposure)
SARA 302 :	This material does not contain any components with a EHS TPQ.	section 302
SARA 313 :	The following components are subject to reporting levels by SARA Title III, Section 313: 4,4'-isopropylidenediphenol	vels established 80-05-7

Clean Air Act


This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

Please contact Supplier for more information.
ct are reported in the following inventories: All substances listed as active on the TSCA inventory All components of this product are on the Canadian DSL On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory
For further information regarding chemical inventories not listed A (USA), DSL (Canada), REACH(Europe), AIIC (Australia),
apan), KECI (Korea), PICCS (Philippines), IECSC (China),

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com





The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.