

## Foster® STIC-SAFE® 85-15

Version 1.0	Revision Date 12/22/2020	
SECTION 1. PRODUCT AND CO	MPA	ANY IDENTIFICATION
Product name Product code	:	Foster® STIC-SAFE® 85-15 100000015036
Manufacturer or supplier's	deta	ils
Company	:	H.B. Fuller Construction Products
Address Telephone	:	1105 South Frontenac Aurora, IL, 60504 1-800-552-6225
Medical Emergency Phone N	lumb	per (24 Hours): 1-888-853-1758
Transport Emergency Phone	Nun	nber (CHEMTREC): 1-800-424-9300
Recommended use of the c	hem	nical and restrictions on use
Recommended use	:	Solvent based sealant
Restrictions on use	:	For industrial use only.

### **SECTION 2. HAZARDS IDENTIFICATION**

### **Emergency Overview**

Appearance	liquid
Color	yellow
Odor	solvent

### **GHS Classification**

Flammable liquids	: (	Category 2
Skin irritation	: (	Category 2
Skin sensitization	: (	Category 1
Reproductive toxicity	: (	Category 2
Specific target organ toxicity - single exposure	: (	Category 3 (Central nervous system)
Specific target organ toxicity - repeated exposure	: (	Category 2
Aspiration hazard	: (	Category 1

### **GHS** label elements



## Foster® STIC-SAFE® 85-15

Version 1.0	Revision Date 12/22/2020	
Hazard pictograms		

Signal Word

#### Hazard Statements:

H225 Highly flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure.

: Danger

#### **Precautionary Statements:**

**Prevention:** P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P331 Do NOT induce vomiting. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:** P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

### Potential Health Effects

-	-			
Cai	rcin	anon	icity	-
Jai	CIII	JYEI	ποτιγ	

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :

Mixture



# Foster® STIC-SAFE® 85-15

Version 1.0

Revision Date 12/22/2020

### Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
n-hexane	110-54-3	30 - 50
toluene	108-88-3	10 - 20
tris(nonylphenyl) phosphite	26523-78-4	0.1 - 1
Actual concentration is withheld as a trade secret		

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice	: Show this material safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash off with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	: Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
If swallowed	<ul> <li>Do NOT induce vomiting.</li> <li>If victim is fully conscious, give a cupful of water.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>Obtain medical attention.</li> </ul>

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media		Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards during fire fighting	: (	Cool closed containers exposed to fire with water spray.
Special protective equipment for fire-fighters		In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions,	: Remove all sources of ignition.
protective equipment and	Beware of vapors accumulating to form explosive
emergency procedures	concentrations. Vapors can accumulate in low areas.
	Refer to protective measures listed in sections 7 and 8.



Foster® STIC-SAFE® 85-15			
ersion 1.0	Revision Date 12/22/2020		
Environmental precautions	: Prevent spreading over a wide area (e.g., by containment or oil barriers).		
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Non-sparking tools should be used.		
CTION 7. HANDLING AND ST	ORAGE		
Local/Total ventilation	: Use only with adequate ventilation.		
Advice on safe handling	<ul> <li>Avoid inhalation of vapor or mist.</li> <li>Do not use in areas without adequate ventilation.</li> <li>Keep away from fire, sparks and heated surfaces.</li> <li>Keep container closed when not in use.</li> <li>Take precautionary measures against static discharges.</li> </ul>		
Conditions for safe storage	<ul> <li>Take measures to prevent the build up of electrostatic charge Use explosion-proof equipment.</li> <li>Keep containers tightly closed in a dry, cool and well-</li> </ul>		
	ventilated place. Keep away from sources of ignition - No smoking. Solvent vapors are heavier than air and may spread along floors.		

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
n-hexane	110-54-3	TWA	50 ppm	ACGIH
		TWA	500 ppm 1,800 mg/m3	OSHA Z-1
		TWA	50 ppm 180 mg/m3	OSHA P0
		PEL	50 ppm 180 mg/m3	CAL PEL
toluene	108-88-3	TWA	20 ppm	ACGIH
		TWA	200 ppm	OSHA Z-2
		CEIL	300 ppm	OSHA Z-2
		Peak	500 ppm	OSHA Z-2



Version 1.0

## Foster® STIC-SAFE® 85-15

Revision Date 12/22/2020

		TWA	100 ppm 375 mg/m3	OSHA P0
		STEL	150 ppm 560 mg/m3	OSHA P0
		PEL	10 ppm 37 mg/m3	CAL PEL
		С	500 ppm	CAL PEL
		STEL	150 ppm 560 mg/m3	CAL PEL
Personal protective equip		ze exposures.		-
Respiratory protection	ventila	tion is provided o	on unless adequate lo or exposure assessme in recommended expo	nt demonstrates
Filter type	: Organi	ic vapor Type		
Hand protection Material	: Nitrile	rubber		
Eye protection	: Safety	glasses with side	e-shields	
Hygiene measures	: Avoid o	contact with skin	eyes and clothing.	

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold	: liquid : yellow : solvent : No data available
Melting point/freezing point	: is not determined
Boiling point/boiling range	: is not determined
Evaporation rate Upper explosion limit	<ul><li>is not determined</li><li>Upper flammability limit is not determined</li></ul>
Lower explosion limit	: Lower flammability limit is not determined
Density	: 6.3 - 6.9 lb/gal
Solubility(ies) Water solubility	: is not determined

5/11



Version 1.0	Revision Date 12/22/2020
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: is not determined
Viscosity Viscosity, kinematic VOC, less water, in g/l	: is not determined : 487

### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: Hazardous polymerization does not occur.
Conditions to avoid	: Heat, flames and sparks.
Hazardous decomposition products	: Stable under normal conditions.

### SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

	Product:		
	Acute dermal toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
	Components:		
	<b>n-hexane:</b> Acute dermal toxicity	:	LD50 Dermal Rabbit: 3,000 mg/kg
	toluene:		
	Acute oral toxicity	:	LD50 Oral Rat: 5,580 mg/kg
	Acute inhalation toxicity	:	LC50 Rat: 12.5 mg/l Exposure time: 4 h
Ski	n corrosion/irritation		
No	data available		
Ser	ious eye damage/eye irritation		
No	data available		

### Respiratory or skin sensitization



## Foster® STIC-SAFE® 85-15

Version 1.0

Revision Date 12/22/2020

### Germ cell mutagenicity

No data available

Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### STOT-single exposure

No data available

### STOT-repeated exposure

No data available

#### Aspiration toxicity

No data available

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

<u>Components:</u> n-hexane :	
Toxicity to fish	<ul> <li>LC50 (Pimephales promelas (fathead minnow)): 2.1 - 2.98 mg/l</li> <li>Exposure time: 96 h</li> <li>Test Method: flow-through test</li> </ul>
toluene :	
Toxicity to fish	<ul> <li>LC50 (Oncorhynchus mykiss (rainbow trout)): 5.8 mg/l Exposure time: 96 h Test Method: semi-static test</li> </ul>
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 5.46 - 9.83 mg/l Exposure time: 48 h Test Method: static test
Toxicity to algae	<ul> <li>EC50 (Pseudokirchneriella subcapitata (microalgae)): 12.5 mg/l</li> <li>Exposure time: 72 h</li> <li>Test Type: static test</li> </ul>

### tris(nonylphenyl) phosphite :



Foster® STIC-SAFE® 85-15		
Version 1.0	Revision Date 12/22/2020	
Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): 10 mg/l Exposure time: 96 h Test Method: static test	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.42 mg/l Exposure time: 48 h Test Method: static test	
Persistence and degradability		
No data available Bioaccumulative potential		
Mobility in soil		
No data available		
Other adverse effects		
No data available		
SECTION 13. DISPOSAL CONSIDERATIONS		

### Disposal methods

Waste from residues :	This product meets the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. It is ignitable waste class D001. Disposal via incineration is recommended. Consult your state, local, or provincial authorities for more restrictive requirements. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.
-----------------------	--

### **SECTION 14. TRANSPORT INFORMATION**

### Special precautions for user

Not applicable

## **Domestic regulation**

49 CFR	
UN/ID/NA number	: 1133
Proper shipping name	: Adhesives
Class	: 3
Packing group	: 11
Labels	: 3
ERG Code	: 128
Marine pollutant	: no



# Foster® STIC-SAFE® 85-15

Version 1.0

Revision Date 12/22/2020

#### International Regulations

IATA-DGR	
UN/ID No.	: 1133
Proper shipping name	: Adhesives
Packing group	: 11
Labels	: 3
Packing instruction	: Transport forbidden
(passenger aircraft)	
IMDG-Code	
UN number	: 1133
Proper shipping name	: ADHESIVES
Class	: 3
Packing group	: 11
Labels	: 3
EmS Code	: F-E, S-D
Marine pollutant	: no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards	Flammable (gases, aerosols, liquids, or solids) Respiratory or skin sensitization Reproductive toxicity Specific target organ toxicity (single or repeated exposure) Aspiration hazard Skin corrosion or irritation	
SARA 302	: This material does not contain any componen EHS TPQ.	nts with a section 302
SARA 313	The following components are subject to reporting levels established by SARA Title III, Section 313:	
	n-hexane	110-54-3
	toluene	108-88-3

Clean Air Act




FOSTER® STIC-SAFE® 85-15		
Version 1.0		Revision Date 12/22/2020
The follo 61):	owing chemical(s) a n-hexane toluene	are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 110-54-3 108-88-3
US State	e Regulations	
Californ	ia Prop 65	Please contact Supplier for more information.
TŠCA DSL AICS ENCS KECI PICCS IECSC Inventor	<b>ries Legend</b> TSCA aland), ENCS (Ja	ct are reported in the following inventories: All substances listed as active on the TSCA inventory All components of this product are on the Canadian DSL On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory A (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIOC pan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV

Eastar® STIC\_SAEE® 95-15

### **SECTION 16. OTHER INFORMATION**

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com





The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and



## Foster® STIC-SAFE® 85-15

Version 1.0

Revision Date 12/22/2020

consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.