



H.B. Fuller

Foster<sup>TM</sup>

# Foster<sup>®</sup> First Defense 40-97 EU

## User Directions

1. Remove heavy soil deposits from the surface.
2. Dilute according to application (see reverse side). Avoid contact with skin and eyes. Avoid formation of aerosols. Wear suitable PPE (gloves, eye protection, overalls and footwear) when diluting this concentrate. Prepare a fresh solution just prior to being used and replace if the solution becomes visibly dirty or diluted.
3. Apply to surface, by mopping, trigger spray applicator (with or without wiping), pouring & wiping, soaking or low pressure foam applicator. Observe good occupational hygiene measures when applying the diluted product, use gloves, overalls and where necessary footwear. Use 30-50 ml/m<sup>2</sup> to thoroughly wet and leave to act for 5-60 minutes (depending on claim). Surface must remain wet for the entire contact time.
4. Rinse or allow to air dry. Disinfected surfaces which may come into contact with food must be rinsed with potable water. Rinsing of floors is not necessary unless they are to be waxed or polished.
5. Product should not be used in combination with other biocides or cleaning products.
6. Check compatibility with surfaces by first testing on an inconspicuous area.

### First Aid:

Inhalation: Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. Give oxygen. First aider needs to protect himself. Call a physician immediately.

Skin contact: Take off all contaminated clothing immediately. After contact with skin, wash immediately with plenty of soap and water. Call a physician immediately.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion: Call a physician immediately. Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

**Storage and shelf life:** Keep container tightly closed. To maintain product quality, do not store in heat or direct sunlight. Keep in a dry, cool and well ventilated place.

### Disposal:

Product: Dispose of in accordance with local regulations. Contact waste disposal services.

Contaminated packaging: Dispose of as unused product.

**Use biocides safely. Always read the label and product information before use.**



H.B. Fuller

Foster<sup>TM</sup>

# Foster® First Defense 40-97 EU

## Dilution and Contact Time

Organism	Dilution (ml/l) / Contact time (min)	
	Healthcare Settings	Industrial and Institutional Applications
Bacteria	70 / 5 or 10 / 60	25 / 5
Yeast	2,5 / 5 or 1,25 / 60	20 / 15
Spores	50 / 60 (clean surface prior to application)	50 / 60 (clean surface prior to application)
Viruses	60 / 60	20 / 15 (enveloped & Norovirus only)
Fungi	60 / 60	40 / 15

Surface area coverage: 30-50 ml/m<sup>2</sup>.  
Frequency of application: 1-2 times per day, or as required under site hygiene regime.  
Surface must remain wet for the entire contact time.



For more detailed information please visit our website  
[www.fosterproducts.com/EU-Disinfectant](http://www.fosterproducts.com/EU-Disinfectant)

